

www.tectone.com.tr

Welcome to Tectone



Welcome to Tectone, where innovation meets legacy. Embarking on one of Türkiye's most ambitious standalone projects, we've set out to redefine the home appliance manufacturing sector. Starting from scratch, Tectone carries the weight of a grand vision - to transform homes globally with a full range unparalleled products. Our endeavor isn't just about scale or sophistication; it's about reshaping everyday experiences. And, while our journey might be new, our foundation is robust, backed by Can Holding, one of Türkiye's paramount corporate giants.

Dive in, and discover the Tectone difference.

- 2,000,000 m2 total indoor space (in 3 diffrent locations)
- Adding value with 14.000+ team members all around globe

ے۔ ا 10

F

<u>l</u>a

*

• 44 million units production capacity (annual)

• Worldwide markets



2

What We Offer?

Tectone delivers unparalleled efficiency, wide product range, and assured quality in home appliance manufacturing. Partner with us for a seamless, optimized business experience.



Wide Product Range from Single Entity



2% FoC Spare Parts of Total Invoice Amount (Worldwide)



Optimized Lead Time Guarantee



Comprehensive In-house Manufacturing



OEM & ODM Digital Design Marketing Support



Product Configuration Freedom



Logistic Cost Advantage



Optimized Quality Assurance



Strong After Sales Support





Built-in Ovens



| Product Family | 7 |
|--------------------------------------------------------------------------------------------------------|----|
| Built-in Oven Types • Electric Built-in Ovens • Gas Built-in Ovens • Duel Fuel Built-in Ovens | |
| Features & Options | 10 |
| Technologies | 18 |
| Functions | 24 |
| Product Design | 28 |
| Design Color & Options | 34 |
| Accessories | 36 |
| Packaging Types | 38 |

Product Family

Whether the user needs a compact model for limited spaces or a larger oven for a big family, our ovens offer the largest interior volume. This spacious interior allows multiple dishes to be cooked simultaneously, making it ideal for high-volume cooking while saving time and energy.



90cm Built-in Oven

85

60cm Built-in Oven



45cm Built-in Oven



45cm Compact Oven

Oven Types

Electric Built-in Ovens

90cm Single: XL Cavity (132lt)



- Wire Rack w/o Fan: 132L
- Wire Rack w/ Fan: 127L
- Embossed w/o Fan: 127L
- Embossed w/ Fan: 122L
- 900 x 610 x 598 mm
- 54 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 168 pcs. Shrink (86m³ Truck)

30" Single: XL Cavity (5.1 ft³)



• This model is currently in the R&D process

60cm Single: XL Cavity (85lt)



- Wire Rack w/o Fan: 85L
- Wire Rack w/ Fan: 80L
- Embossed w/o Fan: 80LEmbossed w/ Fan: 76L
- 600 x 610 x 598 mm
- 81 pcs. Shrink (20DC)
- 228 pcs. Shrink (40HC)
- 252 pcs. Shrink (86m³ Truck)

Steam Assist Oven: 60cm Single XL Cavity (85lt)



- Wire Rack w/o Fan: 85L
- Wire Rack w/ Fan: 80L
- Embossed w/o Fan: 80L
- Embossed w/ Fan: 76L
- 600 x 610 x 598 mm
- 81 pcs. Shrink (20DC)
- 228 pcs. Shrink (40HC)
- 252 pcs. Shrink (86m³ Truck)

45cm Single: (61lt)



- Wire Rack w/o Fan: 61L
- Wire Rack w/ Fan: 55L
- 455 x 610 x 600 mm
- 108 pcs. Shrink (20DC)
- 288 pcs. Shrink (40HC)
- 332 pcs. Shrink (86m³ Truck)

45cm Single: Compact (55lt)



- Wire Rack w/o Fan: 55L
- Wire Rack w/ Fan: 50L
- Embossed w/o Fan: 52L
- Embossed w/ Fan: 47L
- 600 x 610 x 448 mm
- 108 pcs. Shrink (20DC)
- 285 pcs. Shrink (40HC)
- 315 pcs. Shrink (86m³ Truck)

7

60x60 cm Double: XL Cavity (85lt + 85lt)



• This model is currently in the R&D process

60x45 cm Double: XL Cavity (55lt + 85lt)



• This model is currently in the R&D process

Gas Built-in Ovens

90cm XL Cavity (118lt)



- Wire Rack w/o Fan: 118L
- Wire Rack w/ Fan: 113L • Embossed w/o No Fan: 113L
- Embossed w/ Fan: 109L
- 900 x 610 x 598 mm
- 54 pcs. Shrink (20DC)
- 144 pcs. Shrink (40HC)
- 168 pcs. Shrink (86m³ Truck)

Dual-Fuel Built-in Ovens

90cm XL Cavity (128lt)



- Wire Rack w/o Fan: 128L
- Wire Rack w/ Fan: 123L
- Embossed w/o Fan: 123L
- Embossed w/6 r an: 1281
 Embossed w/ Fan: 118L
 900 x 610 x 598 mm

- 54 pcs. Shrink (20DC)
 144 pcs. Shrink (40HC)
 168 pcs. Shrink (86m³ Truck)

60cm XL Cavity (80lt)



- Wire Rack w/o Fan: 80L
- Wire Rack w/ Fan: 75L
- Embossed w/o Fan: 75L • Embossed w/ Fan: 70L
- 600 x 610 x 598 mm
- 81 pcs. Shrink (20DC) • 228 pcs. Shrink (40HC)
- 252 pcs. Shrink (86m³ Truck)

60cm XL Cavity (85lt)



• Wire Rack w/o Fan: 85L

- Wire Rack w/ Fan: 80L
- Embossed w/o Fan: 85L
- Embossed w/ Fan: 75L 600 x 610 x 598

- 81 pcs. Shrink (20DC)
 228 pcs. Shrink (40HC)
 252 pcs. Shrink (86m³ Truck)


Warming Drawer

Ready Serve Warming Drawer

The Ready-Serve Warming Drawer keeps plates, glasses, and dishes warm until the user is ready to serve, increasing comfort and maintaining optimum taste.

- Voltage: 220 240 V
- Frequency: 50/60 Hz
- Net Dimensions (W x D x H): 595 x 568 x 155 mm
- Carrying Capacity: Up to 30 kg
- Adjustable Thermostat: Settings range from 30°C to 80°C, adjustable in 10°C intervals
- Food Warming: Keeps hot foods warm above 60°C for up to 1 hour






Features & Options

15:00

Control Panel Selections

2 Knob Control Panel





Uses both knobs and touch controls for function, temperature, and time settings. Features a digital timer for precise cooking times.

Electric • 90cm • 60cm • 45cm

Full Touch Control Panel (3 Color Options)



Fully touch-operated panel controls all oven functions, temperatures, and time. Sleek design without physical buttons, offering a clean, modern look. Designed for ease of use and enhanced kitchen aesthetics.

• 45cm C

Rustic Control Panel Selections

2 Knob Control Panel

| | | 50 100 50 | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------------------------|--------------------------------|--------------------------------------|
| Adjusts oven function and temperature with 2 knobs. No timer available. 3 Knob Control Panel with Mechanical Timer (90 mins) | | Electric • 90cm • 60cm • 45cm • 45cm C | Gαs • 90cm • 60cm | Duel Fuel • 90cm • 60cm |
| | | | | |
| | max 250 200 | 50 100 | | |
| Adjusts oven function and temperature with three knobs. Includes manual timer (90 min) for precise cooking control. Control serigraphy on the panel for easy identification. | | Electric • 90cm • 60cm • 45cm • 45cm C | Gas • 90cm • 60cm | Duel Fuel • 90cm • 60cm |
| 2 Knob Control Panel with Analog Timer | | | | |
| | | 50 100 50 | | |
| Combines knobs and analog control for time, function and temperature settings. Equipped with a digital timer for advanced timing options. Control serigraphy on the panel enhances usability. | | Electric • 90cm • 60cm • 45cm • 45cm C | Gαs • 90cm • 60cm | Duel Fuel • 90cm • 60cm |

Digital Timer Color Options



12

Control Panel Function Selections

We offer a variety of control panel function options to suit every need. From basic configurations like Standard Heating to the highly advanced Ultimate Multi-Function Control, our range ensures you can find the perfect match. Each control panel type is customizable in both standard and rustic designs, allowing you to tailor the look to your preference.

Electric Ovens

3 Functions

5 Functions

8 Functions

- Bottom Heating Element

• Bottom Heating Element

• Top + Bottom Heating Element (Static)

• Bottom Heating Element + Fan

• Top Heating Element

• Fan Assisted Cooking

• Bottom Heating Element

• Fan Assisted Cooking

• Top Heating Element

• Top + Bottom Heating Element (Static)

4 Functions



- Bottom Heating Element
- Top Heating Element
- Top + Bottom Heating Element (Static) Grill

6 Functions



- Fan Assisted Cooking
- Top + Bottom Heating Element (Static)
- Top Heating Element
- Steam Assisted Cooking & Cleaning

• Grill

- Grill + Fan
- Light
 - Bottom Heating Element
 - Top Heating Element • Top + Bottom Heating Element (Static)

 - Fan Assisted Cooking • Grill
 - Grill + Fan
 - Turbo + Fan (Convection)
 - Fan (Defrost)

- 9 Functions (Air Fry) Bottom Heating Element

3 Functions



Light

- Rottiserie Chicken
- Chicken

Dual Fuel Ovens

3 Functions



- Light + Rottiserie Chicken • Grill + Liaht
- Light + Grill + Rotisserie Chicken

3 Functions



Fan

 Rottiserie Chicken • Fan + Rotisserie Chicken

3 Functions



• Fan + Grill • Fan

• Grill + Rotisserie Chicken

> Features & Options 13

9 Functions

- Top + Bottom Heating Element (Static)





• Top + Bottom Heating Element (Static) • Fan Assisted Cooking • Grill

- Grill + Fan •
- Turbo + Fan (Convection)

• Top Heating Element

- Airfry
- Gas Ovens



• Light + Rottiserie

• Turbo + Fan (Convection) • Fan (Defrost)

Heating Elements

Top Heating Element




Top Heating Element + Grill




Top Gas Brulor



Bottom Heating Element











Turbo Fans


Single 0

(Standard)

available for; (Standard)



60cm45cm45cm Compact





Oven Door Features









TouchSafe Door (Triple Glazed Door with Low-e)

Even under high temperature, the exterior of the door stays cool, providing protection against accidental burns for the user and their family.



Removable Glass


The oven door glass can be easily removed and installed, simplifying cleaning and maintenance.



Removable Door

By turning the hinge latches up, the door can be easily removed and reinstalled, allowing for easy cleaning of both the door and the inside of the oven.







Instant Wipe Clean


The interior door glass features a low maintenance coating. A quick swipe with a damp cloth and cleaning solution keeps it clean.



Gentle Soft Close

With their soft, smooth closing, these oven doors express luxury, effortlessly enhancing the kitchen experience for the user.

Door Types



Cavity Color Options





Grey



Navy Blue



(Optional)

(Standard)

Light Options

Lighten the user's cooking with our sleek and efficient oven lamps, available in three designs: Round, Square, and Double Square.



(Standard)

(Optional)

(Optional)

Rack Options

Diverse cavity rack types, crafted for easy handling for the user, offers quick tool-free installation and removal, enhancing kitchen functionality, and adaptability for evenly cooking.

60cm & 90cm Ovens

Embossed (5)





Wire Rack (3)



Wire Rack (12)

(Optional)

45cm Ovens

Wire Rack (6)



(Standard)

45cm Compact Ovens

Embossed (3)



(Standard)



Telescopic Shelves

Half Extension Telescopic Shelves



(Optional)

The shelves enable easy removal of hot trays or pans from the oven. Benefits include:

Smooth Glide:

Effortless access with telescopic rails. Safety First: Locking system ensures secure placement. Easy Installation: Tool-free setup and adjustable levels. Stability Guaranteed: Stable support for heavy dishes. Built to Last: Durable materials, available in single and double configurations.

ptional)



Wire Rack (15)

(Optional)

(Standart)







(Optional)



Single Telescopic Shelf



Cooking Technologies



Steam Assisted Cooking Mastery

Steam Assisted Cooking Mastery, introduces the perfect amount of steam into the oven, ensuring even cooking, retaining moisture for tender insides and crisp exteriors. Ideal for various dishes, from golden-crusted bread to succulent roasts and vibrant vegetables, it preserves flavors and nutrients while reducing the need for oils.



Conventional Cooking



Steam Assisted Cooking Mastery









High Heat Cooking

High Heat Cooking is designed to bake pastries at high temperatures. It produces crispy crusts and deliciously melted toppings for an authentic bakery taste.











Air Fry

This technology circulates hot air for even cooking and great frying results. Cut down on oil for healthier meals, perfect for fries, meats, and veggies.



Air Fry Tray (Optional)



Evenly Cooking Technology

Evenly Cooking Technology ensures uniform heat distribution throughout the oven, eliminating hot spots and providing consistent cooking results across all dishes.








Steam Ovens

Steam ovens combine traditional cooking with steam to prepare a wide variety of dishes, resulting in meals with crispy exteriors and tender interiors. This method enhances meat roasting and improves the rise and softness of baked goods.

Air Flow



Cleaning





Efficient Cooling

Efficient Cooling ensures safe and optimal operation of the product by providing proper temperature regulation. This system safeguards the appliance and contributes to perfect cooking results.



Steam Clean Ease

Steam Clean Ease uses steam to loosen residues inside the oven, making it easier to wipe away grime and spills and simplifying the cleaning process.






Easy Clean Enamel

Enamel coating resists rust and stains, providing a non-porous surface for easy cleaning.

Catalytic Panels

Catalytic Principle

Catalytic liners contain an oxidizing agent that breaks down organic material. They capture and burn off food particles and grease during cooking, making cleaning easier.





Catalytic Clean Ease

Catalytic liners absorb and oxidize grease, making cleaning effortless. Once the oven cools, simply wipe it with a soft cloth.

Back Panel




(Optional)




Back Panel in Catalytic Enamel

Back & Side Panels



(Optional)



Side Panels and Back Panel in Catalytic Enamel



Functions

24

4

2 6



Icon Serigraphy Set

Tectone offers a wide range of oven functions for static, fan-assisted, and multifunction ovens. Our clients can choose oven serigraphy according to their styles.



Oven Light

in cleaning.



Defrost Only fan is active.



Bottom Element Activates the bottom element. Ideal for adding crispyness at the bottom of the meal.



Top Element Activates the outer top element. It's ideal for Browning Pastries.

Allows you to view your cooking progress and aids

Top + Bottom Element (Static) Ideal for traditional static cooking on one shelf only.



Fan Assisted Cooking Distributes heat evenly throughout the oven with the fan.



Ideal for completing the cooking process.

Bottom Element + Fan



Turbo + Fan (Convection) The ring element and the fan are operating.



Fan The fan is operating.



Grill The central zone of the top element is active.



Activates both the inner and outer top elements.

Top Element + Grill



The fan and the central zone of the top element are active.



Air Fry

Grill + Fan

The central zone of the top element, the ring and the fan are all active.



Turbo + Fan + Bottom Element The ring element, fan and the bottom element are active simultaneously.



Rotisserie Chicken






The central zone of the top element and fan are



3D





Steam Assisted Cooking and Cleaning

Steam ensures even baking and helps clean the oven's interior.



Manual Timer

Deactivates the timer to allow the hobs to be used independently of the oven.



Time Mode Button Displays the current time on the control panel.



Manual Time Allows adjustment of the current time displayed on the control panel.



Timer Function Button

Sets cooking durations for precise cooking control.



Time Plus Button





Increases the cooking time as needed.



Time Minus Button Decreases the cooking time as required.



Time Bell Button

Activates or deactivates the alarm.



Ŀ

Lock

Locks the system to prevent accidental changes, ensuring safety and maintaining settings during cleaning.



Sets the desired cooking temperature.



Icon Serigraphy Sets


Tectone offers a wide range of serigraphy designs for its clients.

Rustic (Awox)


| | | | (*) (*) | 3D | \$ | & | (\$) (``) | & L | | |
|-----------------------------------------------|-------------------|------------|---------------------|------------|------------------------|---------------------|--------------|---------------------|------------|-----------------------------|
| OEM Ru | ustic | | | | | | | | | |
| ٨ | *** | \bigcirc | \bigcirc | \bigcirc | * | * | R | * | \bigcirc | \bigcirc |
| (ž | Ŕ | | Ċ | (3D) | | | (| ● ► | | |
| + | \bigcirc | | | | | | | | | |
| | | | | | | | | | | |
| OEM 01 | L | | | | | | | | | |
| ОЕМ 01 (??) | (****) (***) | () | () | () | (¥) | (<u>*</u>) | (②) | (*) | (🕶) | (****) |
| | | () (遼) | (`) (@) | () (3D) | (¥) (55\$) | (王) (世) | (종) (發) | (⊁) (⊙) | (| (****) (📥) |
| (?) | (***) *^*) | | | | | | | | | (*****) (|
| (??) (?) | (恭) (豪) (一) | (遼) | (<u>G</u>) | | | | | | | (*****) (📥) |
| (菜) (菜) (+) | (恭) (豪) (一) | (遼) | (<u>G</u>) | | | | | | | (*****) (|
| (☆) (♀) (+) OEM 02 | (参) (豪) (一) | (遼) | (<u>G</u>) | | (553) | (世) | (\$\$) | (⊙) | | (*****) (****) (****) |



OEM 03



OEM 04



OEM 05



OEM 06



Product Design

Custom Design Solutions by Tectone

At Tectone, we specialize in providing extensive design options tailored to meet your specific needs. As a leading ODM home products provider, we deliver products that match your exact specifications, offering a wide variety of colors and accessories. Our commitment to diversity in design ensures that every product is as unique as your brand, crafted with precision and care.



Standart: Black



Mono - Bottom: 55mm



I Type: 30mm + 30mm



Rustic: Beige



Standard: Inox (Stainless Steel)



Mono - Bottom: 55mm



l Type: 30mm + 30mm



Rustic: Black



Standart: Black



Mono - Bottom: 55mm



l Type: 30mm + 30mm



O Type: 15mm + 15mm + 15mm



Mono - Bottom: 15mm







U Type: 30mm + 30mm + 15mm



Mono - Top: 15mm



Duo: 15mm + 55mm



N Type: 30mm + 30mm + 15mm



O Type: 30mm + 30mm + 15mm



Standard: Inox (Stainless Steel)



I Type: 30mm + 30mm



Rustic: Beige



Mono - Bottom: 15mm



U Type: 30mm + 30mm + 15mm



Rustic: Black



Metal Add-on Options / 45cm









Standard:



I Type: 30mm + 30mm





Mono - Bottom:

55

U Type: 15mm + 15mm + 15mm



Rustic: Beige

Rustic: Black



Metal Add-on Options / 45cm Compact

Standart: Black



Standard: Inox (Stainless Steel)



Rustic: Beige



Mono - Bottom: 15mm

Mono - Bottom:

in.

15mm



(State

(

=15

Mono - Bottom: 55mm



Mono - Bottom: 55mm



Rustic: Black





Design & Color Options

Color Options






F

White



Knobs

Knob 01: Black



Knob 03: Black



Knob 05: Rustic







Knob 03: Grey



Knob 02: Grey





Knob 04: Grey





Accessories





Packaging Types

Shrink

(Standard)



CONTAINER LOADING

| 20DC (std. Packaging) (pcs) | 54 |
|-----------------------------|-----|
| 40HC (std. Packaging) (pcs) | 144 |
| Truck (86m ³) | 168 |

252 

| 108 | |
|-----|--|
| 285 | |
| 315 | |

Brown Box

(Optional)



CONTAINER LOADING

| 20DC (std. Packaging) (pcs) |
|-----------------------------|
| 40HC (std. Packaging) (pcs) |
| Truck (86m ³) |



240

Colored Box

(Optional)



CONTAINER LOADING

| 20DC (std. Packaging) (pcs) | |
|-----------------------------|--|
| 40HC (std. Packaging) (pcs) | |
| Truck (86m³) | |

45cm Compact

| 108 |
|-----|
| 270 |
| 300 |



НQ

Mehmet Akif Mahallesi Bahariye Caddesi Çam Sokak No:51/5 İkitelli K.Çekmece / İstanbul, TÜRKİYE +90 (212) 692 30 00

Çerkezköy Factory

Karaağaç, 8. Sk. No: 8, 59510 Kapaklı Tekirdağ, TÜRKİYE +90 (282) 758 13 86

Mersin Factory

Organize Sanayi Bölgesi Tarsus Mersin, TÜRKİYE +90 (324) 676 46 46

Lüleburgaz Factory

Evrensekiz Cd., No: 7/1, 39750 Sakızköy Lüleburgaz / Kırklareli, TÜRKİYE +90 (212) 692 30 00

www.tectone.com.tr

All designs and images in this catalog are the exclusive property of Tectone. We reserve the right to modify technical data, design, and colors of individual appliances, and all other information contained within this brochure without notice. Due to variables in the reproduction process, the colors of actual products may vary slightly from those depicted. Unauthorized use, reproduction, or distribution of these designs and images is strictly prohibited. All rights reserved.



Empower Every Home.

